

| Item ID | Item Name | Specifications | Units | Price |
|---------|-----------------------------------|--------------------------------------|-------|-------|
| A-0030 | 1 Core Vinyl Cord (Black) | (VSF) 0.3mm2 | m | 15 |
| A-0032 | 1 Core Vinyl Cord (Red) | (VSF) 0.3mm2 | m | 16 |
| A-0050 | 1 Core Vinyl Cord (Black) | (VSF) 0.5mm2 | m | 19 |
| A-0052 | 1 Core Vinyl Cord (Red) | (VSF) 0.5mm2 | m | 19 |
| A-0055 | 1 Core Vinyl Cord (Green) | (VSF) 0.5mm2 | m | 19 |
| A-0059 | 1 Core Vinyl Cord (White) | (VSF) 0.5mm2 | m | 19 |
| A-0070 | 1 Core Vinyl Cord (Black) | (VSF) 0.75mm2 | m | 19 |
| A-0075 | 1 Core Vinyl Cord (Green) | (VSF) 0.75mm2 | m | 17 |
| A-0120 | 1 Core Vinyl Cord (Black) | (VSF) 1.25mm2 | m | 43 |
| A-0122 | 1 Core Vinyl Cord (Red) | (VSF) 1.25mm2 | m | 39 |
| A-0125 | 1 Core Vinyl Cord (Green) | (VSF) 1.25mm2 | m | 39 |
| A-0129 | 1 Core Vinyl Cord (White) | (VSF) 1.25mm2 | m | 28 |
| A-0205 | 1 Core Vinyl Cord (Green) | (VSF) 2.0mm2 | m | 64 |
| A-1000 | Vinyl Flat Cord | (VFF)2 Corex1.25mm2 | m | 72 |
| A-1200 | 2 Core VCTF Cable | (VCTF)2 Corex0.3mm2 | m | 24 |
| A-1210 | 2 Core VCTF Cable | (VCTF)2 Corex0.5mm2 | m | 33 |
| A-1220 | 2 Core VCTF Cable | (VCTF)2 Corex0.75mm2 | m | 41 |
| A-1231 | 2 Core VCTF Cable | (VCTF)2 Corex1.25mm2 | m | 70 |
| A-1241 | 2 Core VCTF Cable | (VCTF)2 Corex2.0mm2 | m | 85 |
| A-1300 | 3 Core VCTF Cable | (VCTF)3 Corex0.3mm2 | m | 38 |
| A-1310 | 3 Core VCTF Cable | (VCTF)3 Corex0.5mm2 | m | 50 |
| A-1320 | 3 Core VCTF Cable | (VCTF)3 Corex0.75mm2 | m | 55 |
| A-1331 | 3 Core VCTF Cable | (VCTF)3 Corex1.25mm2 | m | 89 |
| A-1341 | 3 Core VCTF Cable | (VCTF)3 Corex2.0mm2 | m | 115 |
| A-1351 | 3 Core VCTF Cable | (VCTF)3 Corex3.5mm2 | m | 213 |
| A-1451 | 4 Core VCTF Cable | (VCTF)4 Corex3.5mm2 | m | 264 |
| A-1500 | 5 Core VCTF Cable | (VCTF)5 Corex0.3mm2 | m | 51 |
| A-1510 | 5 Core VCTF Cable | (VCTF)5 Corex0.5mm2 | m | 69 |
| A-1520 | 5 Core VCTF Cable | (VCTF)5 Corex0.75mm2 | m | 92 |
| A-1700 | 7 Core VCTF Cable | (VCTF)7 Corex0.3mm2 | m | 64 |
| A-1710 | 7 Core VCTF Cable | (VCTF)7 Corex0.5mm2 | m | 97 |
| A-1720 | 7 Core VCTF Cable | (VCTF)7 Corex0.75mm2 | m | 126 |
| A-4000 | Coaxial Cable (Black) | Fujikura RG58/U | m | 109 |
| A-4101 | Coaxial Cable (Black) | RG59/u | m | 140 |
| A-5000 | LAN Cat5 Cable (Blue) | OKI 0.5 4P DTI-C5e 350, Not CM Rated | m | 47 |
| C-0010 | Alkaline Dry Cell Batteries (D) | 1.5V | pack | 293 |
| C-0020 | Alkaline Dry Cell Batteries (C) | 1.5V | pack | 216 |
| C-0030 | Alkaline Dry Cell Batteries (AA) | 1.5V | pack | 351 |
| C-0040 | Alkaline Dry Cell Batteries (AAA) | 1.5V | pack | 351 |
| C-0050 | Alkaline Dry Cell Batteries (N) | 1.5V | pack | 385 |
| C-0060 | Alkaline Dry Cell Battery (9V) | Rectangular Shape | each | 361 |
| C-0110 | Lithium Button Battery | CR2032 (3V) | each | 181 |
| C-0120 | Lithium Button Battery | BR2325 (3V) | each | 241 |
| C-0200 | Silver Oxide Button Battery | SR44 (1.55V) | each | 422 |
| C-0210 | Alkaline Button Battery | LR44 (1.50V) | each | 109 |
| C-0810 | Dry Battery Case | Asahi UM-110NH | each | 202 |
| C-1000 | Modular Plug | OKI 88SH52A-0107G | each | 87 |
| C-1100 | Modular Connector | PMJA-8 | each | 1069 |
| C-2000 | D-Sub Soket Connector (9 Pin) | HIROSE HDEB-9S(05)(9Pin) | each | 365 |
| C-2010 | D-Sub Soket Connector (15 Pin) | HIROSE HDAB-15S(05) (15Pin) | each | 372 |
| C-2020 | D-Sub Soket Connector (25 Pin) | HIROSE HDBB-25S(05) (25Pin) | each | 462 |
| C-2030 | D-Sub Soket Connector (37 Pin) | HIROSE HDCB-37S(05)(37Pin) | each | 894 |
| C-2050 | D-Sub Plug Connector (9 Pin) | HIROSE HDEB-9P(05)(9Pin) | each | 299 |
| C-2060 | D-Sub Plug Connector (15 Pin) | HIROSE HDAB-15P(05)(15Pin) | each | 365 |
| C-2070 | D-Sub Plug Connector (25 Pin) | HIROSE HDBB-25P(05)(25Pin) | each | 467 |
| C-2080 | D-Sub Plug Connector (37 Pin) | HIROSE HDCB-37P(05)(37Pin) | each | 863 |
| C-2100 | D-Sub Hood Cover for 9 Pin | HIROSE HDE-CTH1 (10) 9Pin | each | 729 |
| C-2110 | D-Sub Hood Cover for 15 Pin | HIROSE HDA-CTH1 (10) 15Pin | each | 758 |
| C-2120 | D-Sub Hood Cover for 25 Pin | HIROSE HDB-CTH1 (10) 25Pin | each | 773 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|---|---|-------|-------|
| C-2130 | D-Sub Hood Cover for 37 Pin | HIROSE HDC-CTH1(10) (37Pin) | each | 668 |
| C-2140 | D-Sub Hood Cover for 9 Pin | HIROSE HDE-CTH1(4-40)(10) 9Pin | each | 765 |
| C-2200 | D-Sub Gender Changer | SANWA AD9S-FF (Straight Through, All Pins Connected) | each | 792 |
| C-2210 | D-Sub Gender Changer | SANWA AD9S-MF (Straight Through, All Pins Connected) | each | 792 |
| C-2220 | D-Sub Gender Changer | SANWA AD9S-MM (Straight Through, All Pins Connected) | each | 792 |
| C-2250 | D-Sub Gender Changer | SANWA D15S-FF (Straight Through, All Pins Connected) | each | 748 |
| C-2270 | D-Sub Gender Changer | SANWA D15S-MM (Straight Through, All Pins Connected) | each | 744 |
| C-2300 | D-Sub Gender Changer | SANWA AD25S-FF (Straight Through, All Pins Connected) | each | 1072 |
| C-2310 | D-Sub Gender Changer | SANWA AD25S-MF (Straight Through, All Pins Connected) | each | 1072 |
| C-2320 | D-Sub Gender Changer | SANWA D25S-MM (Straight Through, All Pins Connected) | each | 748 |
| C-2400 | RS-232C Cable (25 Pin, Cross) | SANWA KRS-117K | each | 1762 |
| C-2410 | RS-232C Cable (25 Pin, Straight) | SANWA KRS-101K | each | 1990 |
| C-4000 | Banana Jack (Black) | SATO TJ-563 | each | 146 |
| C-4002 | Banana Jack (Red) | SATO TJ-563 | each | 128 |
| C-4004 | Banana Jack (Yellow) | SATO TJ-563 | each | 46 |
| C-4005 | Banana Jack (Green) | SATO TJ-563 | each | 128 |
| C-4006 | Banana Jack (Blue) | SATO TJ-563 | each | 46 |
| C-4009 | Banana Jack (White) | SATO TJ-563 | each | 146 |
| C-4010 | Banana terminal | MISUMI WTN1009-NI | each | 1531 |
| C-4050 | Banana Plug (Black) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4052 | Banana Plug (Red) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4054 | Banana Plug (Yellow) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4055 | Banana Plug (Green) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4056 | Banana Plug (Blue) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4059 | Banana Plug (White) | SATO TJ-560 (For Soldering) | each | 134 |
| C-4100 | Alligator Clip (Small, Black) | MIYAMA MJ-008 | each | 43 |
| C-4102 | Alligator Clip (Small, Red) | MIYAMA MJ-008 | each | 43 |
| C-4104 | Alligator Clip (Small, Yellow) | MIYAMA MJ-008 | each | 43 |
| C-4105 | Alligator Clip (Small, Green) | MIYAMA MJ-008 | each | 80 |
| C-4106 | Alligator Clip (Small, Blue) | MIYAMA MJ-008 | each | 43 |
| C-4109 | Alligator Clip (Small, White) | MIYAMA MJ-008 | each | 43 |
| C-4200 | Alligator Clip (Large, Black) | MIYAMA MJ-002 | each | 61 |
| C-4202 | Alligator Clip (Large, Red) | MIYAMA MJ-002 | each | 61 |
| C-4204 | Alligator Clip (Large, Yellow) | MIYAMA MJ-002 | each | 61 |
| C-4205 | Alligator Clip (Large, Green) | MIYAMA MJ-002 | each | 117 |
| C-4206 | Alligator Clip (Large, Blue) | MIYAMA MJ-002 | each | 117 |
| C-4209 | Alligator Clip (Large, White) | MIYAMA MJ-002 | each | 61 |
| C-5000 | Screw Terminal Block Connector w/ Cover | KASUGA T-10-6 | each | 361 |
| C-5010 | Screw Terminal Block Connector w/ Cover | KASUGA T-10-10 | each | 535 |
| C-6010 | Aluminum Project Chassis (Box) | LEAD P-1 | each | 1264 |
| C-6030 | Aluminum Project Chassis (Box) | LEAD P-3 | each | 880 |
| C-6040 | Aluminum Project Chassis (Box) | LEAD P-5 | each | 734 |
| C-7000 | Yarn Solder (ϕ 0.6) | HAKKO FS402-01 | each | 1324 |
| C-7008 | Yarn Solder (ϕ 0.8) | HOZAN H-711 | each | 697 |
| C-7010 | Yarn Solder (ϕ 1.0) | HAKKO FS407-02 | each | 287 |
| C-7100 | Solder Wick | HAKKO No.87-5 | each | 294 |
| C-7200 | Soldering Flux | HAKKO No.001-01 | each | 401 |
| D-1000 | BNC Straight Cable Plug | SUHNER 11BNC-50-3-1 | each | 1446 |
| D-1010 | BNC Straight Cable Plug | SUHNER 11BNC-50-3-4 | each | 608 |
| D-1012 | BNC Straight Cable Plug | SUHNER 11BNC-50-3-16 | each | 668 |
| D-1030 | BNC Straight Cable Plug | SUHNER 11BNC-50-4-4 | each | 851 |
| D-1300 | BNC Straight Panel Receptacle Plug | SUHNER 13BNC-50-0-2 | each | 2673 |
| D-1500 | BNC Straight Bulkhead Receptacle Jack | SUHNER 22BNC-50-0-5 | each | 790 |
| D-1501 | BNC Straight Bulkhead Receptacle Jack | SUHNER 22BNC-50-0-16 | each | 1367 |
| D-1510 | BNC Straight Panel Receptacle Jack | SUHNER 23BNC-50-0-2 | each | 2339 |
| D-1700 | BNC Straight Adapter (J-J) | SUHNER 31BNC-50-0-1 | each | 1215 |
| D-1800 | BNC Straight Adapter (P-P) | SUHNER 32BNC-50-0-1 | each | 1823 |
| D-2000 | BNC T-adapter (P-J-J) | SUHNER 43BNC-50-0-1 | each | 2734 |
| D-2200 | BNC T-adapter (J-J-J) | SUHNER 46BNC-50-0-1 | each | 3159 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|---|-------------------------------|-------|-------|
| D-3000 | SHV Straight Cable Plug | SUHNER 11SHV-50-3-1 | each | 4131 |
| D-3010 | SHV Straight Cable Plug | SUHNER 11SHV-50-4-1 | each | 3281 |
| D-3100 | SHV Straight Bulkhead Receptacle Jack | SUHNER 22SHV-50-0-2 | each | 2309 |
| D-3200 | SHV Straight Adapter (J-J) | SUHNER 31SHV-50-0-1 | each | 4131 |
| D-4100 | BNC HF Component Box | SUHNER 66CB-50-0-1 | each | 5881 |
| D-4300 | LEMO RF Adapter | Kaizuworks ABA00250NTL | each | 3159 |
| D-4310 | LEMO RF Adapter | Kaizuworks ABF00250CTA | each | 3159 |
| D-4320 | MHV Adapter | Kaizuworks MHV(J)-SHV(P) | each | 8384 |
| D-4330 | MHV Adapter | Kaizuworks SHV(J)-MHV(P) | each | 8189 |
| D-4340 | SMA Adapter | Kaizuworks BNC(J)-SMA(P) | each | 4860 |
| D-4350 | SMA Adapter | Kaizuworks BNC(P)-SMA(J) | each | 5103 |
| D-5000 | RF Straight Adapter | SUHNER 33BNC-QLA-01-1 | each | 2187 |
| D-5010 | RF Straight Adapter | SUHNER 33QLA-BNC-01-1 | each | 2916 |
| D-8500 | BNC Taper Sleeve (Black) | SUHNER 78-Z-Black-3-4 | each | 85 |
| D-8510 | BNC Taper Sleeve (Brown) | SUHNER 78-Z-Brown-3-4 | each | 85 |
| D-8520 | BNC Taper Sleeve (Red) | SUHNER 78-Z-Red-3-4 | each | 85 |
| D-8530 | BNC Taper Sleeve (Orange) | SUHNER 78-Z-Orange-3-4 | each | 85 |
| D-8540 | BNC Taper Sleeve (Yellow) | SUHNER 78-Z-Yellow-3-4 | each | 85 |
| D-8550 | BNC Taper Sleeve (Green) | SUHNER 78-Z-Green-3-4 | each | 85 |
| D-8560 | BNC Taper Sleeve (Blue) | SUHNER 78-Z-Blue-3-4 | each | 85 |
| D-8570 | BNC Taper Sleeve (Purple) | SUHNER 78-Z-Purple-3-4 | each | 85 |
| D-8580 | BNC Taper Sleeve (Gray) | SUHNER 78-Z-Gray-3-4 | each | 85 |
| D-8590 | BNC Taper Sleeve (White) | SUHNER 78-Z-White-3-4 | each | 85 |
| D-8600 | SHV Taper Sleeve (Black) | SUHNER 78-Z-Black-4-4 | each | 78 |
| D-8610 | SHV Taper Sleeve (Brown) | SUHNER 78-Z-Brown-4-4 | each | 66 |
| D-8620 | SHV Taper Sleeve (Red) | SUHNER 78-Z-Red-4-4 | each | 97 |
| D-8630 | SHV Taper Sleeve (Orange) | SUHNER 78-Z-Orange-4-4 | each | 97 |
| D-8640 | SHV Taper Sleeve (Yellow) | SUHNER 78-Z-Yellow-4-4 | each | 97 |
| D-8650 | SHV Taper Sleeve (Green) | SUHNER 78-Z-Green-4-4 | each | 66 |
| D-8660 | SHV Taper Sleeve (Blue) | SUHNER 78-Z-Blue-4-4 | each | 66 |
| D-8670 | SHV Taper Sleeve (Purple) | SUHNER 78-Z-Purple-4-4 | each | 66 |
| D-8680 | SHV Taper Sleeve (Gray) | SUHNER 78-Z-Gray-4-4 | each | 97 |
| D-8690 | SHV Taper Sleeve (White) | SUHNER 78-Z-White-4-4 | each | 66 |
| E-0100 | Power Strip (4 Outlets, 10m) | Meikosha MR7904TJ10 | each | 4423 |
| E-0110 | Power Strip (6 Outlets, 3m) | Meikosha MR7906TJ3 | each | 2855 |
| E-0190 | Power Strip (4 Outlets) | Meikosha MR7904-N | each | 1519 |
| E-0200 | Computer Power Cable | SANWA KB-D327A | each | 875 |
| E-0500 | 2 Flat Pin Power Plug | Meikosha MP2539W1 (White) | each | 74 |
| E-0510 | 2 Flat Pin Power Plug Socket | Meikosha MC2622W1 (White) | each | 92 |
| E-0520 | Intermediate Switch for Flat Cord | Panasonic WH5201 | each | 425 |
| E-0550 | Grounding Adapter | Meikosha ME2900 | each | 509 |
| E-0560 | Grounding Double Outlet | Meikosha ME2746 | each | 334 |
| E-0600 | Grounding 2P Rubber Plug | Meikosha ME2538 | each | 286 |
| E-0610 | Grounding 2P Waterproof Rubber Connector | Meikosha ME2624 | each | 565 |
| E-0650 | Grounding 2P Hooked Rubber Plug | Meikosha MH2589 | each | 690 |
| E-0660 | Grounding 2P Hooked Rubber Connector | Meikosha MH2631 | each | 812 |
| E-0700 | 3P Hooked Rubber Plug | Meikosha MH2583 | each | 948 |
| E-0710 | 3P Hooked Rubber Connector | Meikosha MH2633 | each | 1164 |
| E-0750 | Grounding 3P Hooked Rubber Plug | Meikosha MH2584 | each | 1183 |
| E-0760 | Grounding 3P Hooked Rubber Connector | Meikosha MH2634 | each | 1327 |
| E-0800 | Grounding 2P Hooked Rubber Plug | Meikosha MH2578 | each | 1332 |
| E-0810 | Grounding 2P Hooked Waterproof Rubber Plug | Meikosha MH2577 | each | 1604 |
| E-0820 | Grounding 2P Hooked Waterproof Rubber Connector | Meikosha MH2637 | each | 2066 |
| E-0850 | Grounding 3P Hooked Rubber Plug | Meikosha MH2579 | each | 1482 |
| E-0860 | Grounding 3P Hooked Waterproof Rubber Plug | Meikosha MH2594 | each | 1810 |
| E-0870 | Grounding 3P Hooked Waterproof Rubber Connector | Meikosha MH2638 | each | 2369 |
| E-6000 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 0.5A | each | 79 |
| E-6001 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 0.1A | each | 85 |
| E-6002 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 0.2A | each | 85 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|---|---------------------------------------|-------|-------|
| E-6003 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 0.3A | each | 85 |
| E-6110 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 10A | each | 73 |
| E-6210 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 1A | each | 73 |
| E-6230 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 2A | each | 67 |
| E-6250 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 3A | each | 67 |
| E-6270 | Glass Tube Fuse | AC125V ϕ 5.2 x 20mm 5A | each | 67 |
| E-6600 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 0.5A | each | 73 |
| E-6601 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 0.1A | each | 73 |
| E-6602 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 0.2A | each | 73 |
| E-6603 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 0.3A | each | 73 |
| E-6610 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 1A | each | 49 |
| E-6630 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 2A | each | 49 |
| E-6650 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 3A | each | 49 |
| E-6670 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 5A | each | 55 |
| E-6710 | Glass Tube Fuse | AC125V ϕ 6.4 x 30mm 10A | each | 79 |
| E-7000 | Fluorescent Lamp w/ Ultraviolet Absorbing Film | Panasonic FLR40S · W · NU/M | each | 972 |
| F-0317 | Floor Cable Cover | MASARU GR-310-7(Small, Beige) | each | 583 |
| F-0517 | Floor Cable Cover | MASARU GR-510-7(Large, Beige) | each | 936 |
| F-1000 | Cable Binding Rope | ϕ 3mm x 200m | each | 3524 |
| F-1110 | Cable Ties (Black, 100 Pieces) | HellermannTyton AB100-W | pack | 115 |
| F-1111 | Cable Tie (Black) | HellermannTyton AB100-W | each | 1 |
| F-1120 | Cable Ties (Black, 100 Pieces) | HellermannTyton AB200-W | pack | 440 |
| F-1121 | Cable Tie (Black) | HellermannTyton AB200-W | each | 4 |
| F-1130 | Cable Ties (Black, 100 Pieces) | HellermannTyton AB300-W | pack | 1132 |
| F-1131 | Cable Tie (Black) | HellermannTyton AB300-W | each | 11 |
| F-1200 | Cable Ties w/ Marking Tag (Natural, 100 Pieces) | HellermannTyton IT18FL | pack | 1142 |
| F-1201 | Cable Tie w/ Marking Tag (Natural) | HellermannTyton IT18FL | each | 13 |
| F-1720 | Cable Tie Mounting Base | HellermannTyton MB3A-L | each | 18 |
| F-1730 | Cable Tie Mounting Base | HellermannTyton MB4A-L | each | 29 |
| F-2015 | Heat Shrink Tube (Black) | SUMITOMO ϕ 1.5mm x 0.2mm x 25cm | each | 29 |
| F-2025 | Heat Shrink Tube (Black) | SUMITOMO ϕ 2.5mm x 0.25mm x 25cm | each | 46 |
| F-2035 | Heat Shrink Tube (Black) | SUMITOMO ϕ 3.5mm x 0.25mm x 25cm | each | 37 |
| F-2040 | Heat Shrink Tube (Black) | SUMITOMO ϕ 4mm x 0.25mm x 25cm | each | 32 |
| F-2060 | Heat Shrink Tube (Black) | SUMITOMO ϕ 6mm x 0.25mmx25cm | each | 37 |
| F-2080 | Heat Shrink Tube (Black) | SUMITOMO ϕ 8mm x 0.25mm x 25cm | each | 51 |
| F-2100 | Heat Shrink Tube (Black) | SUMITOMO ϕ 10mm x 0.25mm x 25cm | each | 65 |
| F-2130 | Heat Shrink Tube (Black) | SUMITOMO ϕ 13mm x 0.3mm x 25cm | each | 74 |
| F-2150 | Heat Shrink Tube (Black) | SUMITOMO ϕ 15mm x 0.3mm x 25cm | each | 131 |
| F-4015 | FEP Heat-Shrinkable Tube (Translucent) | Junkosha NF-015 (1.8mm-1.5mm)25cm | each | 243 |
| F-4030 | FEP Heat-Shrinkable Tube (Translucent) | Junkosha NF-030 (3.6mm-2.8mm)25cm | each | 404 |
| F-4050 | FEP Heat-Shrinkable Tube (Translucent) | Junkosha NF-050 (5.5mm-4.2mm)25cm | each | 374 |
| F-4070 | FEP Heat-Shrinkable Tube (Translucent) | Junkosha NF-070 (7.8mm-6.0mm)25cm | each | 547 |
| F-5040 | Spiral Wrap | HellermannTyton TS-4 | m | 32 |
| F-5090 | Spiral Wrap | HellermannTyton TS-9 | m | 62 |
| F-5120 | Spiral Wrap | HellermannTyton TS-12 | m | 124 |
| F-5150 | Spiral Wrap | HellermannTyton TS-15 | m | 109 |
| H-1000 | Nylon Tube (Black) | NITTA N2-4-6 x 4 (mm) | m | 87 |
| H-1011 | Nylon Tube (Black) | NITTA N2-4-8 x 6 (mm) | m | 115 |
| H-1021 | Nylon Tube (Black) | NITTA N2-4-10 x 8 (mm) | m | 173 |
| H-1050 | Nylon Tube (Black) | NITTA N2-1-1/4 (inch) | m | 87 |
| H-1100 | Hose Fitting Connector | REGAL JOINT TH15-1/2S (SUS304) | each | 1980 |
| H-1110 | Hose Fitting Connector | REGAL JOINT TH15-3/8S (SUS304) | each | 1980 |
| H-1150 | Elbow Connector | Fujikin PUWLG-12.7C | each | 2245 |
| H-1201 | QuickSeal Fitting Connector | NITTA C4N6 x 4-PT3/8 (mm) Brass | each | 216 |
| H-1210 | QuickSeal Fitting Connector | NITTA C4N10 x 8-PT3/8 ST (mm) | each | 762 |
| H-1250 | MEGA Sun Braid Hose | TOGAWA 15mm-22mm | m | 279 |
| H-1800 | Nylon Sleeve | NITTA SN10 (for 10mm x 8mm Tubes) | each | 26 |
| H-1810 | Nylon Sleeve | NITTA SN6 (for 6mm x 4mm Tubes) | each | 14 |
| H-1900 | Hose Clip | Jubilee Hose Clip (SUS) | each | 516 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|---|---|-------|-------|
| H-1910 | Hose Clip | Jubilee Hose Clip 0X (SUS) | each | 729 |
| H-2000 | Swagelok Gasket (Silver Plated Nickel) | CAJON NI-8-VCR-2 | each | 443 |
| H-2010 | Tube Fitting (Nut) | Swagelok SS-402-1 | each | 316 |
| H-2020 | Tube Fitting (Nut and Ferrule Set) | Swagelok SS-400-NFSET | each | 772 |
| H-2025 | Tube Fitting (Nut and Ferrule Set) | Swagelok SS-6M0-NFSET | each | 693 |
| H-2030 | Tube Fitting (Ferrule Set) | Swagelok SS-400-SET | each | 352 |
| H-2040 | Tube Fitting (Plug) | Swagelok SS-400-P | each | 1081 |
| H-2050 | Tube Fitting (Union) | Swagelok SS-400-6 | each | 2132 |
| H-2055 | Tube Fitting (Union) | Swagelok SS-6M0-6 | each | 1701 |
| H-2060 | Tube Fitting (Union Tee) | Swagelok SS-400-3 | each | 4338 |
| H-2065 | Tube Fitting (Union Tee) | Swagelok SS-6M0-3 | each | 3463 |
| H-2070 | Tube Fitting (Union) | Swagelok SS-6M0-6-4 | each | 2132 |
| H-3000 | Tube Fitting (Union) | NITTA AUC6 | each | 249 |
| H-3010 | Tube Fitting (Union Tee) | NITTA EUT6 | each | 316 |
| H-4000 | Silicone Tube | LABORAN 6 x 10 | m | 563 |
| J-0010 | Aluminum Foil (100m) | nippaku (12 μ m x 30cm x 100m) | box | 1418 |
| J-0020 | Aluminum Foil (Thick 50m) | nippaku (17 μ m x 30cm x 50m) | box | 1316 |
| J-0500 | Kimwipes | Crecia S-200 | box | 115 |
| J-0511 | Kimtowels | 61450(190mm x 320mm 4-Ply x 150 Sheets/Box) | box | 621 |
| J-0520 | JK Wipers | Crecia 100-S | box | 418 |
| J-0550 | Faicial Tissues | 400 Sheets (200 Pairs)/Box | box | 73 |
| J-0600 | Bemcot | ASAHIKASEI BEMCOT M-3 II | bag | 555 |
| J-3000 | Air Duster | HOZAN Z-282 | each | 1118 |
| J-3100 | High-Capacity Vacuum Sealing Grease | ShinEtsu HIVAC-G | each | 1580 |
| J-7000 | Dust-Free Gloves for Clean Room (L) | AS-1 7-2010-02 (Size L) | pair | 595 |
| J-7120 | Disposable Nitrile Gloves (LL) | SHOWA 883 (Size LL, Light Blue) | box | 1094 |
| J-7130 | Disposable Nitrile Gloves (L) | SHOWA 883 (Size L, Light Blue) | box | 1094 |
| J-7140 | Disposable Nitrile Gloves (M) | SHOWA 883 (Size M, Light Blue) | box | 1094 |
| J-7150 | Disposable Nitrile Gloves (S) | SHOWA 883 (Size S, Light Blue) | box | 1094 |
| J-7200 | Disposable Polyethylene Gloves (L) | AS-1 6-895-01 (Standard L) | box | 705 |
| J-7210 | Disposable Polyethylene Gloves (M) | AS-1 6-895-02 (Standard M) | box | 705 |
| J-7400 | Thin Cotton Working Gloves (L) | AS-1 7-052-14 (Size L) | pair | 162 |
| K-0034 | Cu Gasket for ICF Flange (ϕ 34) | for ϕ 34ICF | each | 213 |
| K-0070 | Cu Gasket for ICF Flange (ϕ 70) | for ϕ 70ICF | each | 237 |
| K-0114 | Cu Gasket for ICF Flange (ϕ 114) | for ϕ 114ICF | each | 419 |
| K-0152 | Cu Gasket for ICF Flange (ϕ 152) | for ϕ 152ICF | each | 601 |
| K-0203 | Cu Gasket for ICF Flange (ϕ 203) | for ϕ 203ICF | each | 1051 |
| M-0000 | Waste Cloth | White Nitted Cotton 100% | kg | 729 |
| M-0040 | Abrasive Cloth | A-P40 | each | 100 |
| M-0080 | Waterproof Abrasive Paper Sheet | #80 | each | 40 |
| M-0100 | Abrasive Cloth | AA-100 or Equivalent | each | 66 |
| M-0150 | Waterproof Abrasive Paper Sheet | #150 | each | 34 |
| M-0180 | Waterproof Abrasive Paper Sheet | #180 | each | 34 |
| M-0240 | Abrasive Cloth | AA-240 | each | 101 |
| M-0245 | Waterproof Abrasive Paper Sheet | #240 | each | 34 |
| M-0320 | Abrasive Cloth | AA-320 | each | 101 |
| M-0325 | Waterproof Abrasive Paper Sheet | #320 | each | 34 |
| M-0400 | Abrasive Cloth | AA-400 | each | 101 |
| M-0405 | Waterproof Abrasive Paper Sheet | #400 | each | 34 |
| M-0600 | Abrasive Cloth | AA-600 | each | 97 |
| M-0605 | Waterproof Abrasive Paper Sheet | #600 | each | 34 |
| M-0800 | Abrasive Cloth | #800 | each | 65 |
| M-1000 | Waterproof Abrasive Paper Sheet | #1000 | each | 38 |
| M-1500 | Waterproof Abrasive Paper Sheet | #1500 | each | 38 |
| M-3000 | Cotton Work Gloves | Cotton | pair | 47 |
| M-3100 | Anti-Corrosive Lubricant Spray | KURE CRC 5-56 | each | 522 |
| M-3200 | Moly Paste 500 (Anti-Seizure Paste) | SUMICO LUBRICANT | each | 1057 |
| M-3600 | Disposable Dust Mask | 3M No.8710-DS1Z or Equivalent | each | 273 |
| N-0010 | Araldite Standard (Slow-Setting Epoxy Adhesive) | Standard (Cure Time: 12 Hours) 30g/Set | pack | 693 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|---|-------|-------|
| N-0020 | Araldite Rapid (Fast-Setting Epoxy Adhesive) | Rapid (Cure Time: 2 Hours) 30g/Set | pack | 778 |
| N-0100 | Aron Alpha GEL-10 (Adhesive) | TOAGOSEI GEL-10 | each | 851 |
| N-0110 | Aron Alpha Type 201 (Adhesive) | TOAGOSEI 201 (Liquid 2g) | each | 160 |
| N-0200 | Name Tag (Yellow) | ORIONS #35 Small | each | 51 |
| N-0210 | Name Tag (Blue) | ORIONS #35 Small | each | 51 |
| N-0220 | Name Tag (Red) | ORIONS #35 Small | each | 51 |
| N-0300 | Name Tag w/ Zip Tie (White) | MIRAI KFY-25W | pack | 272 |
| N-0600 | Absorbent Sheet | ASHIMORI L(38 x 49 x 0.8cm) | each | 678 |
| N-0800 | Sealing Compound | NITTO CHEMICAL NEOSEAL B-3 (NET 1kg) | each | 911 |
| P-1000 | Vinyl Electrical Insulating Tape (Black) | TRUSCO Unleaded Type Vinyl Tape | each | 47 |
| P-1020 | Vinyl Electrical Insulating Tape (Red) | TRUSCO Unleaded Type Vinyl Tape | each | 47 |
| P-1040 | Vinyl Electrical Insulating Tape (Yellow) | TRUSCO Unleaded Type Vinyl Tape | each | 47 |
| P-1060 | Vinyl Electrical Insulating Tape (Blue) | TRUSCO Unleaded Type Vinyl Tape | each | 47 |
| P-1090 | Vinyl Electrical Insulating Tape (White) | TRUSCO Unleaded Type Vinyl Tape | each | 47 |
| P-2000 | Aluminum Foil Tape (50mmx2m) | NICHIBAN AL-50(50mm x 2m) | each | 279 |
| P-2100 | Aluminum Foil Tape (50mmx50m) | SLIONTEC 806000-20-50X50 | each | 1944 |
| P-2500 | Pipe Thread Seal Tape | Nitto 95-15S | each | 164 |
| P-2600 | Reflective Tiger Tape (90mmx10m) | Japan Green Cross TR3-A | each | 4253 |
| P-2610 | Reflective Tiger Tape (45mmx10m) | Japan Green Cross TR3-B | each | 2187 |
| P-2750 | Cloth Tape | TRUSCO GNT-50SE | each | 207 |
| P-2760 | Pyolan Paint Masking Tape | Y09GR 50MM | each | 292 |
| P-6001 | Double-Sided Tape (10mmx18m) | NICHIBAN NW-R10 | each | 304 |
| P-6003 | Double-Sided Tape (30mmx5m) | NICHIBAN NW-N30 | each | 284 |
| P-6005 | Double-Sided Tape (50mmx5m) | NICHIBAN NW-N50 | each | 425 |
| P-6020 | Scotch Magic Tape w/ Dispenser | 3M 810-1-12D | each | 304 |
| P-6025 | Scotch Magic Tape | 3M 810-1-12 | each | 279 |
| Q-0100 | Plastic Wrap | AsahiKASEI 30cm x 20m | each | 243 |
| Q-1000 | Plastic Zip Lock Bag | Unipack C-4 (w/Zipper) | each | 3 |
| Q-1010 | Plastic Zip Lock Bag | Unipack G-4 (w/Zipper) | each | 5 |
| Q-1020 | Plastic Zip Lock Bag | Unipack K-4 (w/Zipper) | each | 13 |
| Q-1100 | Poly Bags for Pail (10 Pieces) | Mrs. Kitchen Koala K-90NU | pack | 389 |
| Q-3020 | Plastic Storage Bin (Small, Red) | mitsubishi plastics T2R | each | 389 |
| Q-3040 | Plastic Storage Bin (Small, Yellowish Green) | mitsubishi plastics T2YG | each | 389 |
| Q-3060 | Plastic Storage Bin (Small, Blue) | mitsubishi plastics T2B | each | 389 |
| Q-3120 | Plastic Storage Bin (Large, Red) | mitsubishi plastics T5R | each | 887 |
| Q-3140 | Plastic Storage Bin (Large, Yellowish Green) | mitsubishi plastics T5YG | each | 887 |
| Q-3160 | Plastic Storage Bin (Large, Blue) | mitsubishi plastics T5B | each | 887 |
| R-1000 | Acetone | 500mL 1st Grade Purity (Wako or KANTO CHEMICAL) | each | 1008 |
| R-1100 | Ethanol | 500mL 1st Grade Purity (Wako or KANTO CHEMICAL) | each | 1883 |
| R-2000 | Safety Wash Bottle for Acetone | AS-14-3039-06 | each | 1130 |
| R-2100 | Safety Wash Bottle for Ethanol | AS-14-3039-02 | each | 1130 |
| R-2900 | Safety Wash Bottle for Distilled Water | AS-14-3039-05 | each | 1130 |
| S-1005 | Cutter Knife (Large) | KOKUYO HA-S200YR | each | 450 |
| S-1010 | Spare Blades for Cutter Knife (Large) (5 Pieces) | KOKUYO HA-S250-5 (for HA-S200YR) | pack | 307 |
| S-1100 | Scissors | KOKUYO ハサ-151B | each | 292 |
| S-1900 | Twist Tie (Blue) | PLUS 82-627 | each | 346 |
| S-2000 | Permanent Marker (Black) | ZEBRA MO-120-MC-BK | each | 91 |
| S-2020 | Permanent Marker (Red) | ZEBRA MO-120-MC-R | each | 91 |
| T-0004 | Single Coil Spring Washer (Unichrome Plating SS) | M4 | each | 2 |
| T-0005 | Single Coil Spring Washer (Unichrome Plating SS) | M5 | each | 1 |
| T-0006 | Single Coil Spring Washer (Unichrome Plating SS) | M6 | each | 1 |
| T-0008 | Single Coil Spring Washer (Unichrome Plating SS) | M8 | each | 1 |
| T-0010 | Single Coil Spring Washer (Unichrome Plating SS) | M10 | each | 3 |
| T-0012 | Single Coil Spring Washer (Unichrome Plating SS) | M12 | each | 4 |
| T-0054 | Plain Washer (Unichrome Plating SS) | M4 | each | 3 |
| T-0055 | Plain Washer (Unichrome Plating SS) | M5 | each | 3 |
| T-0056 | Plain Washer (Unichrome Plating SS) | M6 | each | 1 |
| T-0058 | Plain Washer (Unichrome Plating SS) | M8 | each | 5 |
| T-0060 | Plain Washer (Unichrome Plating SS) | M10 | each | 3 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|----------------|-------|-------|
| T-0062 | Plain Washer (Unichrome Plating SS) | M12 | each | 5 |
| T-0104 | Hexagon Nut (Unichrome Plating SS) | M4 | each | 1 |
| T-0105 | Hexagon Nut (Unichrome Plating SS) | M5 | each | 1 |
| T-0106 | Hexagon Nut (Unichrome Plating SS) | M6 | each | 2 |
| T-0108 | Hexagon Nut (Unichrome Plating SS) | M8 | each | 3 |
| T-0110 | Hexagon Nut (Unichrome Plating SS) | M10 | each | 4 |
| T-0112 | Hexagon Nut (Unichrome Plating SS) | M12 | each | 7 |
| T-1040 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M8 x 40 | each | 15 |
| T-1045 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M8 x 45 | each | 11 |
| T-1050 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M8 x 50 | each | 11 |
| T-1055 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M8 x 55 | each | 10 |
| T-1140 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M10 x 40 | each | 15 |
| T-1145 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M10 x 45 | each | 14 |
| T-1150 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M10 x 50 | each | 15 |
| T-1240 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M12 x 40 | each | 27 |
| T-1245 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M12 x 45 | each | 27 |
| T-1250 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M12 x 50 | each | 29 |
| T-1260 | Hexagon Bolt (Unichrome Plating SS, Full Threaded) | M12 x 100 | each | 87 |
| T-2020 | Single Coil Spring Washer (SUS304) | M2 | each | 2 |
| T-2026 | Single Coil Spring Washer (SUS304) | M2.6 | each | 2 |
| T-2030 | Single Coil Spring Washer (SUS304) | M3 | each | 2 |
| T-2035 | Single Coil Spring Washer (SUS304) | M3.5 | each | 2 |
| T-2040 | Single Coil Spring Washer (SUS304) | M4 | each | 2 |
| T-2050 | Single Coil Spring Washer (SUS304) | M5 | each | 3 |
| T-2060 | Single Coil Spring Washer (SUS304) | M6 | each | 3 |
| T-2080 | Single Coil Spring Washer (SUS304) | M8 | each | 2 |
| T-2100 | Single Coil Spring Washer (SUS304) | M10 | each | 9 |
| T-2120 | Single Coil Spring Washer (SUS304) | M12 | each | 8 |
| T-2160 | Single Coil Spring Washer (SUS304) | M16 | each | 17 |
| T-2220 | Plain Washer (SUS304) | M2 | each | 3 |
| T-2226 | Plain Washer (SUS304) | M2.6 | each | 2 |
| T-2230 | Plain Washer (SUS304) | M3 | each | 2 |
| T-2235 | Plain Washer (SUS304) | M3.5 | each | 5 |
| T-2240 | Plain Washer (SUS304) | M4 | each | 2 |
| T-2250 | Plain Washer (SUS304) | M5 | each | 2 |
| T-2260 | Plain Washer (SUS304) | M6 | each | 2 |
| T-2280 | Plain Washer (SUS304) | M8 | each | 2 |
| T-2300 | Plain Washer (SUS304) | M10 | each | 7 |
| T-2320 | Plain Washer (SUS304) | M12 | each | 6 |
| T-2360 | Plain Washer (SUS304) | M16 | each | 17 |
| T-2420 | Hexagon Nut (SUS304) | M2 | each | 10 |
| T-2426 | Hexagon Nut (SUS304) | M2.6 | each | 10 |
| T-2430 | Hexagon Nut (SUS304) | M3 | each | 2 |
| T-2435 | Hexagon Nut (SUS304) | M3.5 | each | 20 |
| T-2440 | Hexagon Nut (SUS304) | M4 | each | 2 |
| T-2450 | Hexagon Nut (SUS304) | M5 | each | 5 |
| T-2460 | Hexagon Nut (SUS304) | M6 | each | 4 |
| T-2480 | Hexagon Nut (SUS304) | M8 | each | 4 |
| T-2500 | Hexagon Nut (SUS304) | M10 | each | 9 |
| T-2520 | Hexagon Nut (SUS304) | M12 | each | 11 |
| T-2560 | Hexagon Nut (SUS304) | M16 | each | 21 |
| T-2806 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 6 | each | 14 |
| T-2808 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 8 | each | 13 |
| T-2810 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 10 | each | 13 |
| T-2816 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 16 | each | 16 |
| T-2820 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 20 | each | 17 |
| T-2825 | Hexagon Bolt (SUS304, Full Threaded) | M3 x 25 | each | 17 |
| T-2906 | Hexagon Bolt (SUS304, Full Threaded) | M4 x 6 | each | 11 |
| T-2910 | Hexagon Bolt (SUS304, Full Threaded) | M4 x 10 | each | 6 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--------------------------------------|----------------|-------|-------|
| T-2915 | Hexagon Bolt (SUS304, Full Threaded) | M4 x 15 | each | 5 |
| T-2920 | Hexagon Bolt (SUS304, Full Threaded) | M4 x 20 | each | 7 |
| T-3010 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 10 | each | 12 |
| T-3015 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 15 | each | 14 |
| T-3020 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 20 | each | 15 |
| T-3025 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 25 | each | 18 |
| T-3030 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 30 | each | 19 |
| T-3035 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 35 | each | 22 |
| T-3040 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 40 | each | 23 |
| T-3055 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 55 | each | 34 |
| T-3060 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 60 | each | 37 |
| T-3065 | Hexagon Bolt (SUS304, Full Threaded) | M5 x 65 | each | 44 |
| T-3110 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 10 | each | 4 |
| T-3115 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 15 | each | 13 |
| T-3120 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 20 | each | 5 |
| T-3125 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 25 | each | 11 |
| T-3130 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 30 | each | 17 |
| T-3135 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 35 | each | 6 |
| T-3140 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 40 | each | 16 |
| T-3145 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 45 | each | 26 |
| T-3150 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 50 | each | 9 |
| T-3155 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 55 | each | 22 |
| T-3160 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 60 | each | 24 |
| T-3170 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 70 | each | 58 |
| T-3180 | Hexagon Bolt (SUS304, Full Threaded) | M6 x 80 | each | 30 |
| T-3210 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 10 | each | 10 |
| T-3215 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 15 | each | 9 |
| T-3220 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 20 | each | 9 |
| T-3225 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 25 | each | 19 |
| T-3230 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 30 | each | 10 |
| T-3235 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 35 | each | 24 |
| T-3240 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 40 | each | 12 |
| T-3245 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 45 | each | 51 |
| T-3250 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 50 | each | 15 |
| T-3255 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 55 | each | 19 |
| T-3260 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 60 | each | 34 |
| T-3265 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 65 | each | 36 |
| T-3270 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 70 | each | 39 |
| T-3280 | Hexagon Bolt (SUS304, Full Threaded) | M8 x 80 | each | 49 |
| T-3315 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 15 | each | 19 |
| T-3320 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 20 | each | 34 |
| T-3325 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 25 | each | 19 |
| T-3330 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 30 | each | 68 |
| T-3335 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 35 | each | 49 |
| T-3340 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 40 | each | 53 |
| T-3345 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 45 | each | 36 |
| T-3350 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 50 | each | 36 |
| T-3360 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 60 | each | 36 |
| T-3370 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 70 | each | 67 |
| T-3380 | Hexagon Bolt (SUS304, Full Threaded) | M10 x 80 | each | 83 |
| T-3420 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 20 | each | 53 |
| T-3425 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 25 | each | 58 |
| T-3430 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 30 | each | 24 |
| T-3435 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 35 | each | 112 |
| T-3440 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 40 | each | 117 |
| T-3445 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 45 | each | 36 |
| T-3450 | Hexagon Bolt (SUS304, Full Threaded) | M12 x 50 | each | 117 |
| T-3530 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 30 | each | 160 |
| T-3535 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 35 | each | 214 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|----------------|-------|-------|
| T-3540 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 40 | each | 97 |
| T-3545 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 45 | each | 239 |
| T-3550 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 50 | each | 96 |
| T-3555 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 55 | each | 73 |
| T-3580 | Hexagon Bolt (SUS304, Full Threaded) | M16 x 80 | each | 213 |
| T-4105 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 5 | each | 9 |
| T-4108 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 8 | each | 9 |
| T-4110 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 10 | each | 6 |
| T-4112 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 12 | each | 13 |
| T-4115 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 15 | each | 9 |
| T-4120 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2 x 20 | each | 19 |
| T-4205 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 5 | each | 6 |
| T-4208 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 8 | each | 12 |
| T-4210 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 10 | each | 9 |
| T-4212 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 12 | each | 10 |
| T-4215 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 15 | each | 13 |
| T-4220 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M2.6 x 20 | each | 14 |
| T-4305 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 5 | each | 4 |
| T-4308 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 8 | each | 4 |
| T-4310 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 10 | each | 4 |
| T-4312 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 12 | each | 4 |
| T-4315 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 15 | each | 4 |
| T-4320 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 20 | each | 10 |
| T-4325 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 25 | each | 7 |
| T-4330 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 30 | each | 11 |
| T-4335 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M3 x 35 | each | 32 |
| T-4505 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 5 | each | 4 |
| T-4508 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 8 | each | 4 |
| T-4510 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 10 | each | 4 |
| T-4512 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 12 | each | 4 |
| T-4515 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 15 | each | 4 |
| T-4520 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 20 | each | 5 |
| T-4525 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 25 | each | 5 |
| T-4530 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 30 | each | 24 |
| T-4535 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 35 | each | 12 |
| T-4540 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 40 | each | 44 |
| T-4550 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 50 | each | 36 |
| T-4560 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M4 x 60 | each | 73 |
| T-4605 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 5 | each | 31 |
| T-4608 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 8 | each | 11 |
| T-4610 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 10 | each | 5 |
| T-4612 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 12 | each | 5 |
| T-4615 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 15 | each | 5 |
| T-4620 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 20 | each | 6 |
| T-4625 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 25 | each | 6 |
| T-4630 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 30 | each | 17 |
| T-4635 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 35 | each | 21 |
| T-4640 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M5 x 40 | each | 22 |
| T-4708 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 8 | each | 17 |
| T-4710 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 10 | each | 5 |
| T-4712 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 12 | each | 5 |
| T-4715 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 15 | each | 5 |
| T-4720 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 20 | each | 5 |
| T-4725 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 25 | each | 6 |
| T-4730 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 30 | each | 7 |
| T-4735 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 35 | each | 24 |
| T-4740 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 40 | each | 49 |
| T-4745 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 45 | each | 53 |
| T-4750 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M6 x 50 | each | 61 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|----------------|-------|-------|
| T-4810 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 10 | each | 24 |
| T-4815 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 15 | each | 29 |
| T-4820 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 20 | each | 11 |
| T-4825 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 25 | each | 12 |
| T-4830 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 30 | each | 12 |
| T-4835 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 35 | each | 41 |
| T-4840 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 40 | each | 49 |
| T-4845 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 45 | each | 40 |
| T-4850 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M8 x 50 | each | 67 |
| T-4915 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 15 | each | 32 |
| T-4920 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 20 | each | 58 |
| T-4925 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 25 | each | 61 |
| T-4930 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 30 | each | 33 |
| T-4935 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 35 | each | 40 |
| T-4940 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 40 | each | 73 |
| T-4945 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 45 | each | 160 |
| T-4950 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M10 x 50 | each | 73 |
| T-5020 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 20 | each | 67 |
| T-5025 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 25 | each | 80 |
| T-5030 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 30 | each | 50 |
| T-5035 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 35 | each | 95 |
| T-5040 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 40 | each | 36 |
| T-5045 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 45 | each | 73 |
| T-5050 | Hexagon Socket Head Bolt (SUS304, Full Threaded) | M12 x 50 | each | 73 |
| T-5055 | Hexagon Socket Head Bolt (SUS, Full Threaded) | M16 x 30 | each | 182 |
| T-5060 | Hexagon Socket Head Bolt (SUS, Full Threaded) | M16 x 50 | each | 207 |
| T-5065 | Hexagon Socket Head Bolt (SUS, Full Threaded) | M16 x 70 | each | 577 |
| T-5070 | Hexagon Socket Head Bolt (SUS, Full Threaded) | M16 x 100 | each | 810 |
| T-5430 | Stud Bolt (SUS304) | M4 x 30 | each | 32 |
| T-5545 | Stud Bolt (SUS304) | M6 x 45 | each | 30 |
| T-5650 | Stud Bolt (SUS304) | M8 x 50 | each | 36 |
| T-5655 | Stud Bolt (SUS304) | M8 x 55 | each | 46 |
| T-5660 | Stud Bolt (SUS304) | M8 x 60 | each | 61 |
| T-5665 | Stud Bolt (SUS304) | M8 x 65 | each | 66 |
| T-5670 | Stud Bolt (SUS304) | M8 x 70 | each | 36 |
| T-5706 | Eye Bolt (SUS) | SUS M6 | each | 632 |
| T-5708 | Eye Bolt (SUS) | SUS M8 | each | 207 |
| T-5710 | Eye Bolt (SUS) | SUS M10 | each | 605 |
| T-5712 | Eye Bolt (SUS) | SUS M12 | each | 486 |
| T-5950 | Pan Head Screw (SUS304) | M2 x 8 | each | 8 |
| T-5960 | Pan Head Screw (SUS304) | M3 x 8 | each | 5 |
| T-6505 | Pan Head Screw (Bs) | M3 x 5 | each | 6 |
| T-6510 | Pan Head Screw (Bs) | M3 x 10 | each | 12 |
| T-6515 | Pan Head Screw (Bs) | M3 x 15 | each | 7 |
| T-6606 | Pan Head Screw (Bs) | M4 x 6 | each | 8 |
| T-6610 | Pan Head Screw (Bs) | M4 x 10 | each | 12 |
| T-6615 | Pan Head Screw (Bs) | M4 x 15 | each | 10 |
| T-7205 | Flat Head Screw (Bs) | M3 x 5 | each | 4 |
| T-7310 | Flat Head Screw (Bs) | M4 x 10 | each | 4 |
| T-7510 | Flat Head Screw (SUS304) | M2 x 8 | each | 7 |
| T-7520 | Flat Head Screw (SUS304) | M3 x 8 | each | 4 |
| T-7530 | Flat Head Screw (SUS304) | M4 x 8 | each | 5 |
| U-0020 | Bare Crimp Terminal (Ring) | R0.3-2 | each | 3 |
| U-0030 | Bare Crimp Terminal (Ring) | R0.3-3 | each | 5 |
| U-0035 | Bare Crimp Terminal (Ring) | R0.3-3.5 | each | 5 |
| U-0040 | Bare Crimp Terminal (Ring) | R0.3-4 | each | 4 |
| U-0120 | Bare Crimp Terminal (Ring) | R0.5-2 | each | 3 |
| U-0130 | Bare Crimp Terminal (Ring) | R0.5-3 | each | 4 |
| U-0135 | Bare Crimp Terminal (Ring) | R0.5-3.5 | each | 3 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|----------------|-------|-------|
| U-0140 | Bare Crimp Terminal (Ring) | R0.5-4 | each | 3 |
| U-0150 | Bare Crimp Terminal (Ring) | R0.5-5 | each | 3 |
| U-0220 | Bare Crimp Terminal (Ring) | R1.25-2 | each | 3 |
| U-0230 | Bare Crimp Terminal (Ring) | R1.25-3 | each | 5 |
| U-0235 | Bare Crimp Terminal (Ring) | R1.25-3.5 | each | 5 |
| U-0240 | Bare Crimp Terminal (Ring) | R1.25-4 | each | 5 |
| U-0250 | Bare Crimp Terminal (Ring) | R1.25-5 | each | 4 |
| U-0260 | Bare Crimp Terminal (Ring) | R1.25-6 | each | 4 |
| U-0270 | Bare Crimp Terminal (Ring) | R1.25-10 | each | 5 |
| U-0280 | Bare Crimp Terminal (Ring) | R1.25-8 | each | 4 |
| U-0330 | Bare Crimp Terminal (Ring) | R2-3 | each | 3 |
| U-0335 | Bare Crimp Terminal (Ring) | R2-3.5 | each | 5 |
| U-0340 | Bare Crimp Terminal (Ring) | R2-4 | each | 5 |
| U-0350 | Bare Crimp Terminal (Ring) | R2-5 | each | 5 |
| U-0360 | Bare Crimp Terminal (Ring) | R2-6 | each | 4 |
| U-0380 | Bare Crimp Terminal (Ring) | R2-8 | each | 4 |
| U-0440 | Bare Crimp Terminal (Ring) | R3.5-4 | each | 4 |
| U-0450 | Bare Crimp Terminal (Ring) | R3.5-5 | each | 4 |
| U-0460 | Bare Crimp Terminal (Ring) | R3.5-6 | each | 9 |
| U-0540 | Bare Crimp Terminal (Ring) | R5.5-4 | each | 6 |
| U-0550 | Bare Crimp Terminal (Ring) | R5.5-5 | each | 5 |
| U-0560 | Bare Crimp Terminal (Ring) | R5.5-6 | each | 11 |
| U-0570 | Bare Crimp Terminal (Ring) | R5.5-10 | each | 8 |
| U-0580 | Bare Crimp Terminal (Ring) | R5.5-8 | each | 8 |
| U-0650 | Bare Crimp Terminal (Ring) | R8-5 | each | 11 |
| U-0660 | Bare Crimp Terminal (Ring) | R8-6 | each | 11 |
| U-0670 | Bare Crimp Terminal (Ring) | R8-10 | each | 13 |
| U-0680 | Bare Crimp Terminal (Ring) | R8-8 | each | 13 |
| U-2230 | Bare Crimp Terminal (Fork) | 1.25-3 | each | 5 |
| U-2240 | Bare Crimp Terminal (Fork) | 1.25-4 | each | 5 |
| U-2340 | Bare Crimp Terminal (Fork) | 2-4 | each | 6 |
| U-4000 | Insulation Cap for Crimp Terminal (Black) | for R0.3 | each | 4 |
| U-4002 | Insulation Cap for Crimp Terminal (RED) | for R0.3 | each | 3 |
| U-4004 | Insulation Cap for Crimp Terminal (Yellow) | for R0.3 | each | 3 |
| U-4005 | Insulation Cap for Crimp Terminal (Green) | for R0.3 | each | 2 |
| U-4006 | Insulation Cap for Crimp Terminal (Blue) | for R0.3 | each | 3 |
| U-4009 | Insulation Cap for Crimp Terminal (White) | for R0.3 | each | 2 |
| U-4100 | Insulation Cap for Crimp Terminal (Black) | for R0.5 | each | 2 |
| U-4102 | Insulation Cap for Crimp Terminal (RED) | for R0.5 | each | 2 |
| U-4104 | Insulation Cap for Crimp Terminal (Yellow) | for R0.5 | each | 2 |
| U-4105 | Insulation Cap for Crimp Terminal (Green) | for R0.5 | each | 2 |
| U-4106 | Insulation Cap for Crimp Terminal (Blue) | for R0.5 | each | 2 |
| U-4109 | Insulation Cap for Crimp Terminal (White) | for R0.5 | each | 2 |
| U-4200 | Insulation Cap for Crimp Terminal (Black) | for R1.25 | each | 2 |
| U-4202 | Insulation Cap for Crimp Terminal (RED) | for R1.25 | each | 2 |
| U-4204 | Insulation Cap for Crimp Terminal (Yellow) | for R1.25 | each | 2 |
| U-4205 | Insulation Cap for Crimp Terminal (Green) | for R1.25 | each | 2 |
| U-4206 | Insulation Cap for Crimp Terminal (Blue) | for R1.25 | each | 2 |
| U-4209 | Insulation Cap for Crimp Terminal (White) | for R1.25 | each | 2 |
| U-4300 | Insulation Cap for Crimp Terminal (Black) | for R2 | each | 2 |
| U-4302 | Insulation Cap for Crimp Terminal (RED) | for R2 | each | 2 |
| U-4304 | Insulation Cap for Crimp Terminal (Yellow) | for R2 | each | 2 |
| U-4305 | Insulation Cap for Crimp Terminal (Green) | for R2 | each | 3 |
| U-4306 | Insulation Cap for Crimp Terminal (Blue) | for R2 | each | 2 |
| U-4309 | Insulation Cap for Crimp Terminal (White) | for R2 | each | 2 |
| U-4400 | Insulation Cap for Crimp Terminal (Black) | for R3.5 | each | 4 |
| U-4402 | Insulation Cap for Crimp Terminal (RED) | for R3.5 | each | 4 |
| U-4404 | Insulation Cap for Crimp Terminal (Yellow) | for R3.5 | each | 2 |
| U-4405 | Insulation Cap for Crimp Terminal (Green) | for R3.5 | each | 4 |

| Item ID | Item Name | Specifications | Units | Price |
|---------|--|----------------|-------|-------|
| U-4406 | Insulation Cap for Crimp Terminal (Blue) | for R3.5 | each | 2 |
| U-4409 | Insulation Cap for Crimp Terminal (White) | for R3.5 | each | 4 |
| U-4500 | Insulation Cap for Crimp Terminal (Black) | for R5.5 | each | 4 |
| U-4502 | Insulation Cap for Crimp Terminal (RED) | for R5.5 | each | 4 |
| U-4504 | Insulation Cap for Crimp Terminal (Yellow) | for R5.5 | each | 2 |
| U-4505 | Insulation Cap for Crimp Terminal (Green) | for R5.5 | each | 4 |
| U-4506 | Insulation Cap for Crimp Terminal (Blue) | for R5.5 | each | 2 |
| U-4509 | Insulation Cap for Crimp Terminal (White) | for R5.5 | each | 4 |
| U-4600 | Insulation Cap for Crimp Terminal (Black) | for R8 | each | 4 |
| U-4602 | Insulation Cap for Crimp Terminal (RED) | for R8 | each | 4 |
| U-4604 | Insulation Cap for Crimp Terminal (Yellow) | for R8 | each | 4 |
| U-4605 | Insulation Cap for Crimp Terminal (Green) | for R8 | each | 4 |
| U-4606 | Insulation Cap for Crimp Terminal (Blue) | for R8 | each | 4 |
| U-4609 | Insulation Cap for Crimp Terminal (White) | for R8 | each | 4 |